



Conforms to HazCom 2012/United States

SDS

Cide-Kick

# SAFETY DATA SHEET



## Cide-Kick

### Section 1. Identification

**GHS product identifier** : Cide-Kick  
**Product Details** : Adjuvants, Surface active agents

**Supplier's details** : SePRO Corporation  
11550 North Meridian Street  
Suite 600  
Carmel, IN 46032 U.S.A.  
Tel: 317-580-8282  
Toll free: 1-800-419-7779  
Fax: 317-580-8290  
Monday - Friday, 8am to 5pm [E.S.T.](http://www.sepro.com)  
[www.sepro.com](http://www.sepro.com)

**Emergency telephone** : INFOTRAC - 24-hour service 1-800-535-5053

The following recommendations for exposure controls and personal protection are intended for the manufacture, formulation and packaging of this product. For applications and/or use, consult the product label. The label directions supersede the text of this Safety Data Sheet for application and/or use.

### Section 2. Hazards identification

**Hazard classification:** Eye Irritation, category 2A  
Skin Allergy, category 1

**Label Element:**



**Emergency Overview**  
**Routes of Entry:** Eye Contact, Skin Contact, Inhalation, Ingestion

**Health Effects:**  
Eyes: **WARNING** causes serious eye irritation.  
Skin: **WARNING** may cause an allergic skin reaction.



### Section 3. Composition/information on ingredients

INGREDIENT: Blend of Limonenes, related isomers, and selected nonionic emulsifiers

<u>CAS #</u>	<u>WT%</u>
Not applicable	100

### Section 4. First aid measures

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor for medical advice.

**IF ON SKIN:** Wash with plenty of water and soap. If skin irritation or rash occurs, get medical advice. Take off contaminated clothing and wash it before reuse.

**IF SWALLOWED:** Rinse mouth. Call a doctor if you feel unwell.

**IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.

### Section 5. Fire-fighting measures

**FLASH POINT:** >200°F; >93°C

**SUITABLE EXTINGUISHING MEDIA:** Dry chemicals, alcohol-resistant foam, carbon dioxide, or water fog.

**UNSUITABLE EXTINGUISHING MEDIA:** Direct water stream may spread fire.

**SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:** Incomplete combustion may produce carbon monoxide and carbon dioxide. Burning may produce noxious and toxic fumes.

**SPECIAL PROTECTIVE ACTIONS FOR FIRE-FIGHTERS:** Evacuate the area promptly. Do not scatter spilled material with high pressure water streams. Use water spray to cool unopened containers. Wear self-contained breathing apparatus and full protective clothing.

### Section 6. Accidental release measures

**PERSONAL PRECAUTIONS:** Keep unnecessary personnel away. **DO NOT** touch damaged containers or spilled material unless wearing appropriate protective gear. Keep people away from and upwind of spill/leak. Keep out of low areas. Ensure adequate ventilation. Ventilate closed spaces before entering them. Material can create slippery conditions. No smoking.

**ENVIRONMENTAL PRECAUTIONS:** Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers ditches and waterways.



**METHODS FOR CONTAINMENT:**

**ELIMINATE** all ignition sources (no smoking, flares, sparks, static discharge or flames in the immediate area). Stop the flow of the material and dike spill area when possible without exposure to unnecessary risk.

**METHODS FOR CLEANING UP:**

**DO NOT** release this product into the environment. Use equipment rated for use around combustible materials. For large spills, absorb spilled liquid with suitable non-combustible absorbent material such as dirt or sand. For small spills, wipe up with suitable absorbent material such as cloth. Clean exposed surfaces thoroughly to remove any residual contamination. Never return spills in original containers for re-use. Dispose any contaminated absorbents appropriately. For waste disposal, see section 13 of this SDS.

**Section 7. Handling and storage**

**PRECAUTIONS FOR SAFE HANDLING:**

Keep material away from heat, sparks, hot surfaces and open flames. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash hands and exposed skin thoroughly after handling. **AVOID** breathing vapors, spray, or mist. Use only out doors or in a well-ventilated area. Wear protective gloves and eye protection. Use appropriate personal protective equipment. **DO NOT** get in eyes, on skin or on clothing. Avoid prolonged and repeated contact.

**DO NOT** swallow. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. Contaminated work clothing must not be allowed out of the workplace.

**STORAGE:**

Store in a well-ventilated place with proper sprinkler/fire deterrent system. Keep cool. Avoid extreme temperatures. **DO NOT** cut, drill, grind or weld on or near this container. Keep out of the reach of children. Store locked up.

**Section 8. Exposure controls/personal protection**

**INGREDIENT(S)**

**EXPOSURE LIMITS**

Blend of Limonenes

OSHA PEL: Not Established  
ACGIH TWA: Not Established  
ACGIH STEL: Not Established

Blend of Nonionic Surfactants

OSHA PEL: Not Established  
ACGIH TWA: Not Established  
ACGIH STEL: Not Established

PEL= Permissible Exposure Limits  
TWA= Time Weighted Average  
STEL= Short term Exposure Limit

ACGIH= American Conference of Governmental Industrial Hygienists  
OSHA= Occupational Safety and Health Administration

**ENGINEERING CONTROLS:**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Maintain air concentrations below occupational exposure limits. Use local exhaust when misting occurs. Natural ventilation is adequate in absence of mists. Keep away from sparks and flames.

**RESPIRATORY PROTECTION:**

No personal respiratory protective equipment normally required. An approved respirator must be worn if airborne concentrations are above any recommended exposure limits. In misty atmospheres, use an approved respirator.



## SDS

## Cide-Kick

<b>EYE PROTECTION:</b>	If material could be misted or splashed into eyes, wear safety glasses with side shields (or goggles). Eye wash fountain should be available.
<b>SKIN PROTECTION:</b>	Impervious gloves are recommended. Boots, apron, bodysuit, or other suitable protective clothing should be worn as necessary.
<b>WORK HYGIENIC PRACTICES:</b>	When using, do not eat, drink or smoke. Do not get in eyes. Do not get this material in contact with skin. Wash hands and face before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Have eye wash and emergency shower facilities immediately available. Handle in accordance with good industrial hygiene and safety practice.

### Section 9. Physical and chemical properties

<b>APPEARANCE:</b>	Clear
<b>ODOR:</b>	Slight citrus odor
<b>ODOR THRESHOLD:</b>	No data available
<b>PHYSICAL STATE:</b>	Liquid
<b>pH:</b>	No data available
<b>FREEZING POINT:</b>	No data available
<b>BOILING POINT:</b>	329°F (165.0°C)
<b>FLASH POINT:</b>	>200°F (93.3°C)
<b>EVAPORATION RATE (N-Butyl Acetate = 1):</b>	<1
<b>FLAMMABILITY (SOLID, GAS):</b>	No data available
<b>UPPER/LOWER FLAMMABILITY:</b>	No data available
<b>VAPOR PRESSURE (mmHg):</b>	<3 @ 68°F (20.0°C)
<b>VAPOR DENSITY (AIR=1):</b>	<4.7
<b>SPECIFIC GRAVITY (H<sub>2</sub>O=1):</b>	No data available @ 68°F (20.0°C)
<b>SOLUBILITY IN WATER:</b>	Soluble
<b>PARTITION COEFFICIENT (N-Octanol/Water):</b>	No data available
<b>AUTO-IGNITION TEMPERATURE:</b>	No data available
<b>DECOMPOSITION TEMPERATURE:</b>	No data available
<b>VISCOSITY:</b>	No data available

## Section 10. Stability and reactivity

### REACTIVITY/POSSIBILITY OF

**HAZARDOUS REACTIONS:** Hazardous polymerization does not occur. Prevent oxidation by avoiding long-term exposure to air.

**CHEMICAL STABILITY:** Material is stable under normal conditions.

**CONDITIONS TO AVOID:** Keep away from heat, sparks, static discharge, flame, and exposure to elevated temperatures.

**INCOMPATIBLE MATERIALS:** Strong acids and bases, including acidic clays; alkali metals; halogens; peroxides; vinyl chloride; and iodine pentafluoride.

### HAZARDOUS DECOMPOSITION

**OR BY-PRODUCTS:** Carbon monoxide, carbon dioxide, oxides of limonene and other organic compounds which may be toxic.

## Section 11. Toxicological information

**ACUTE TOXICITY:** Oral, ATE<sub>mix</sub> = LD<sub>50</sub> 6,230 mg/kg for rats  
Dermal, ATE<sub>mix</sub> = LD<sub>50</sub> 20,000 mg/kg for rabbits  
Inhalation, ATE<sub>mix</sub> = LC<sub>50</sub> 8.04 mg/l for rats

**SKIN CORROSION /IRRITATION:** May causes skin irritation.

**EYE DAMAGE/IRRITATION:** Causes serious eye irritation.

**RESPIRATORY OR SKIN SENSITIZATION:** May cause an allergic skin reaction.

**GERM CELL MUTAGENICITY:** No data available

**CARCINOGENICITY:** No components present in excess of 0.1% by weight listed as carcinogens by OSHA, NTP, IARC or ACGIH.

**REPRODUCTIVE TOXICITY:** No data available

### SPECIFIC TARGET ORGAN TOXICITY

**SINGLE EXPOSURE:** Not expected.

**REPEATED EXPOSURE:** Not expected.

**ASPIRATION HAZARD:** Not expected.

## Section 12. Ecological information

**ECOTOXICITY:** No data available

**PERSISTENCE AND DEGRADABILITY:**

No data available

**BIOACCUMULATIVE POTENTIAL:**

No data available

**MOBILITY IN SOIL:**

No data available

**OTHER ADVERSE EFFECTS:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13. Disposal considerations

**WASTE DISPOSAL METHOD:** Incinerate or dispose of in accordance with Local, State, and Federal Regulations. Commercially clean containers prior to disposal. Oil soaked rags should be disposed of properly to prevent spontaneous combustion. Do not allow this material to drain into sewers/water supplies. For the safety of persons conducting disposal, please refer to the information in section 8.

## Section 14. Transport information

**DOT** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

**TDG** Not regulated

**ENVIRONMENTAL HAZARDS** The product is not a marine pollutant as defined by 49 CFR part 171.8 or TDG regulations.

## Section 15. Regulatory information

**US FEDERAL REGULATIONS** This product is a Hazardous Chemical as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List or exempt under 40 CFR 720.30.

**CERCLA**

**reportable substances:** not regulated

**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)  
HAZARD CATEGORIES**

**IMMEDIATE HAZARD:** Yes

**DELAYED HAZARD:** No

**FIRE HAZARD:** No

**PRESSURE HAZARD:** No

**REACTIVE HAZARD:** No

**313 REPORTABLE INGREDIENTS:** No

**302 EXTREMELY HAZARDOUS SUBSTANCE:** No

**CALIFORNIA  
PROPOSITION 65:**

*The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986. This product may contain trace amounts of chemical(s) known to the State of California to cause cancer, birth defects or other reproductive harm: Ethylene Oxide; 1, 4-Dioxane.*



## Section 16. Other information

### NFPA RATINGS

HEALTH: 2

FIRE: 1

REACTIVITY: 0

### History

Date of issue: 08/12/2015

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.