FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL: 1-800-654-6911 (OUTSIDE

USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®: 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)

FOR ALL SDS QUESTIONS & REQUESTS, CALL: 1-800-511-MSDS (OUTSIDE

USA: 1-423-780-2347)

PRODUCT NAME: AB CLEARIGATE

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

<u>Supplier</u> REVISION DATE: 05/26/2015 <u>Applied Biochemists (WI)</u> SUPERCEDES: 01/29/2007

W175 N11163 Stonewood Drive,

Suite 234

Germantown, WI, 53022 MSDS Number: 000000024432

USA SYNONYMS:

CHEMICAL FAMILY: None

Telephone: +12622554449

Telefax: +12622554449

DESCRIPTION / USE None established None established

Web: www.appliedbiochemists.com

Manufacturer

Advantis Technologies 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States of America

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Dermal) : Category 3

Skin corrosion : Category 1B

Eye irritation : Category 2A

Specific target organ toxicity - : Category 3 (Respiratory system)

single exposure

AB CLEARIGATE

REVISION DATE: 05/26/2015 Page 1 of 12

Aspiration hazard Category 1

GHS Label element

Hazard pictograms











Signal word Danger

Hazard statements H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary statements Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No

smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/

equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER or doctor/ physician.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomitina.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON

CENTER or doctor/ physician.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsina.

P337 + P313 If eye irritation persists: Get medical advice/

P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

Storage:

AB CLEARIGATE

REVISION DATE: 05/26/2015 Page 2 of 12 P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS OR CHEMICAL NAME Citrus, ext.	<u>CAS #</u> 94266-47-4	<u>% RANGE</u> 19 - 29
Triethanolamine	102-71-6	8 - 18
Polyethylene glycol monoisodecyl ether	61827-42-7	6 - 16
Ethanolamine	141-43-5	4 - 14
BASIC COPPER CARBONATE	12069-69-1	2 - 12

SECTION 4. FIRST AID MEASURES

General Advice: Call a poison control center or doctor for treatment advice. For 24-hour

emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a

poison control center or doctor, or going for treatment.

Inhalation: IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

Call a poison control center or doctor for further treatment advice.

Skin Contact: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin

immediately with plenty of water for 15-20 minutes. Call a poison control center or

doctor for treatment advice.

Eye Contact: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

AB CLEARIGATE

REVISION DATE: 05/26/2015 Page 3 of 12

Ingestion: IF SWALLOWED: Call a poison control center or doctor immediately for treatment

advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give

anything by mouth to an unconscious person.

Notes to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Combustible

Flammable Properties

Flash Point: 46.1 °C

Fire / Explosion Hazards: Material may be ignited if preheated to temperatures above the flash

point in the presence of a source of ignition.

Extinguishing Media: Water fog Carbon dioxide (CO2) Foam

Fire Fighting Instructions: Use water spray to cool unopened containers. In case of fire, use

normal fire-fighting equipment and the personal protective

equipment recommended in Section 8 to include a NIOSH approved

self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency

Situations:

Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to

boots, impervious gloves, hard hat, splash-proof googles.

impervious clothing, i.e., chemically impermeable suit, self-contained

breathing apparatus.

Spill Mitigation Procedures

Air Release: Keep people away from and upwind of spill/leak.

Water Release: If the product contaminates rivers and lakes or drains inform

respective authorities.

Land Release: Contain spillage, soak up with non-combustible absorbent material,

(e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).Do not contaminate ponds, waterways or ditches with

chemical or used container.

Additional Spill Information: Remove all sources of ignition. Prevent further leakage or spillage if

safe to do so. Use personal protective equipment as required.

Evacuate personnel to safe areas.

AB CLEARIGATE

REVISION DATE: 05/26/2015 Page 4 of 12

SECTION 7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing.

Upon contact with skin or eyes, wash off with water. Avoid breathing

mist or vapor.

Storage: Store in a cool, dry and well ventilated place. Do not expose to

direct light. Store between 50°F and 100°F. Avoid freezing.

Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required

when handling or using this product to keep airborne exposures below the

TLV, PEL or other recommended exposure limit.

Protective Equipment for Routine Use of Product

Respiratory Protection: Wear a NIOSH approved respirator if levels above the exposure limits are

possible., A NIOSH approved air purifying respirator with organic vapor cartridge and P95 particulate filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations

exceed ten (10) times the published limit.

Skin Protection: Avoid contact with skin. Impervious gloves Boots Apron A full impervious suit

is recommended if exposure is possible to a large portion of the body.

Eye Protection: Chemical resistant goggles must be worn. Face-shield

Protective Clothing Type: impervious clothing

General Protective Ensure that eyewash stations and safety showers are close to the

Measures: workstation location.

Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
Triethanolamine (102-71-6)	TWA	5 mg/m3	ACGIH (02 2014)
Ethanolamine (141-43-5)	TWA	3 ppm	ACGIH (02 2014)
	STEL	6 ppm	ACGIH (02 2014)
BASIC COPPER CARBONATE (12069-69-1)	Conc	100 mg/m3	NIOSH/GUIDE (2005)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: liquid

AB CLEARIGATE

REVISION DATE: 05/26/2015 Page 5 of 12

Form No data.
Color: No data.
Odor: No data.

Molecular Weight: None established

pH: 9.7 - 10.0

()

Boiling Point: no data available

Melting point/freezing

point

No data

Density Not applicable

Bulk Density:

no data available

Vapor Pressure: no data available

Vapor Density: > 1

Viscosity: no data available Solubility in Water: completely miscible

Partition coefficient n-

octanol/water:

No data.

Evaporation Rate: no data available Oxidizing: None established Volatiles, % by vol.: no data available

VOC Content no data available This product does not contain any chemicals

listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any

VOC exemptions listed under the U.S. Clean Air Act Section 450.

HAP Content Not applicable

SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Stable under normal conditions.

Conditions to Avoid: Heat, flames and sparks., Avoid freezing.

Chemical Incompatibility: Strong acids, Nitrates Hazardous Decomposition Products: Oxides of nitrogen

Decomposition Temperature: No data

SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

Citrus, ext. LD50 > 5,000 mg/kg Rabbit Triethanolamine LD50 = 7,390 mg/kg Rat Ethanolamine LD50 = 1,700 mg/kg Rat BASIC COPPER LD50 = 1,350 mg/kg Rat

CARBONATE

AB CLEARIGATE

REVISION DATE: 05/26/2015 Page 6 of 12

Component Animal Toxicology

Dermal LD50 value:

Citrus, ext. LD50 > 5,000 mg/kg Rabbit Triethanolamine LD50 > 2,000 mg/kg Rabbit

Ethanolamine LD50 Approximately 1,000 mg/kg Rabbit

BASIC COPPER no data available

CARBONATE

Component Animal Toxicology

Inhalation LC50 value:

Citrus, ext. no data available

Triethanolamine A saturated vapor concentration for 8 hours (rats) did not produce any deaths.

Ethanolamine LC50 1 h > 2.42 mg/l Mouse

LC50 4 h > 970 ppm Mouse

BASIC COPPER no data available

CARBONATE

Product Animal Toxicity

<u>Oral LD50 value</u>: LD50 = 1,925 mg/kg Rat <u>Dermal LD50 value</u>: LD50 = 650 mg/kg Rabbit

Inhalation LC50 no data available

value:

Skin Irritation: Corrosive to skin Eye Irritation: Severe eye irritant

Skin Sensitization: This material is not known or reported to be a skin or respiratory sensitizer.

Triethanolamine This material tested negative for skin sensitization in

animals.

Ethanolamine This material tested negative for skin sensitization in

animals.

Acute Toxicity: Corrosive to skinSevere eye irritationInhalation of mist or vapor may cause

irritation to the mucous membranes of the respiratory tract.

Subchronic / Chronic Not known or reported to cause subchronic or chronic toxicity.

Toxicity:

Triethanolamine Animal studies suggest that chronic (repeated)

overexposure may result in damage to the liver and

kidney.

Reproductive and

Developmental Toxicity:

Not known or reported to cause reproductive or developmental toxicity.

Triethanolamine This product has been tested and was shown not to

AB CLEARIGATE

REVISION DATE: 05/26/2015 Page 7 of 12

produce any adverse effects on reproductive function or fetal development when administered to laboratory

animals.

Ethanolamine This chemical has been tested in laboratory animals

and no evidence of teratogenicity, embryotoxicity or

fetotoxicity was seen.

Mutagenicity: Not known or reported to be mutagenic.

Triethanolamine This chemical has been shown to be non-mutagenic

based on a battery of assays.

Ethanolamine This chemical has been tested in a battery of

mutagenicity/genotoxicity assays and the results were

negative.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference

source including IARC, OSHA, NTP or EPA.

Triethanolamine The International Agency for Research on Cancer

(IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as

to Its Carcinogenicity to Humans.

Ethanolamine This product is not known or reported to be carcinogenic

by any reference source including IARC, OSHA, NTP or EPA. Chemicals of similar structure have been shown

not to cause cancer in laboratory animals.

SECTION 12. ECOLOGICAL INFORMATION

Overview: Toxic to fish and other aquatic organisms.

Ecological Toxicity Values for: Triethanolamine

Pimephales promelas (fathead - (measured, flow-through) 96 h LC50 = 11,800 mg/l

minnow)

Daphnia magna, - (nominal, static). 24 h EC50= 1,850 mg/l Common shrimp (Crangon - (nominal, renewal). 48 h LC50> 100 mg/l

crangon)

Green algae (Scenedesmus - (nominal, static). 48 h EC50 = 750 mg/l

subspicatus)

Ecological Toxicity Values for: Ethanolamine

Rainbow trout (Oncorhynchus - (nominal, static). 96 h LC50 = 150 mg/l

mykiss)

Mosquito fish - (nominal, static). 96 h LC50 = 337.5 mg/l Blueqill - (nominal, static). 96 h LC50 = 329.16 mg/l

Pimephales promelas (fathead - (measured, flow-through) 96 h LC50 = 2,070 mg/l

minnow)

AB CLEARIGATE

REVISION DATE: 05/26/2015 Page 8 of 12

Goldfish - (measured, static) 96 h LC50 = 170 mg/l
Daphnia magna (Water flea) - (nominal, static). 24 h LC50 = 140 mg/l

Crangon crangon (shrimp) - (nominal, renewal). 48 h LC50> 100 mg/l

Brine shrimp - 48 h LC50= 7,100 mg/l Daphnia magna (Water flea) - 48 h EC50= 65 mg/l

SECTION 13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it meets the criteria of a hazardous

waste as defined under 40 CFR 261 and would have the following

EPA hazardous waste number: D001.

Disposal Methods: As a hazardous liquid waste it must be disposed of in accordance

with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT

UN number : 2903

Description of the goods : Pesticides, liquid, toxic, flammable, n.o.s.

: (Copper triethanolamine complex)

Class : 6.1
Packing group : III
Labels : 6.1 (3)
Emergency Response : 131

Guidebook Number

TDG

UN number : 2903

Description of the goods : PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S.

(Copper triethanolamine complex)

Class : 6.1
Packing group : III
Labels : 6.1 (3)

IATA

UN number : 2903

AB CLEARIGATE

REVISION DATE: 05/26/2015 Page 9 of 12

Description of the goods : Pesticide, liquid, toxic, flammable, n.o.s.

(Copper triethanolamine complex)

Class : 6.1
Packing group : III
Labels : 6.1 (3)
Packing instruction (cargo : 663

aircraft)

Packing instruction : 655

(passenger aircraft)

Packing instruction : Y642

(passenger aircraft)

IMDG-CODE

UN number : 2903

Description of the goods : PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S.

(Copper triethanolamine complex)

 Class
 : 6.1

 Packing group
 : III

 Labels
 : 6.1 (3)

 EmS Number 1
 : F-E

 EmS Number 2
 : S-D

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word : DANGER!

Hazard statements : Harmful if swallowed.

May be fatal if absorbed through skin.

Harmful if inhaled.

Corrosive. Causes skin burns.

Corrosive. Causes irreversible eye damage.

This pesticide is toxic to fish.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
2,2'-Iminodiethanol	111-42-2	100	

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

AB CLEARIGATE

REVISION DATE: 05/26/2015 Page 10 of 12

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

copper carbonate 12069-69-1

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

	copper carbonate	12069-69-1	6.94 %
US State Regulations			
Massachusetts Right To Know			
	2,2',2"-Nitrilotriethanol 2-Aminoethanol	102-71-6 141-43-5	
Pennsylvania Right To Know			
	Citrus, ext.	94266-47-4	
	2,2',2"-Nitrilotriethanol	102-71-6	
	Polyethylene glycol monoisodecyl ether	61827-42-7	
	2-Aminoethanol	141-43-5	
	copper carbonate	12069-69-1	
New Jersey Right To Know			
	Citrus, ext.	94266-47-4	
	2,2',2"-Nitrilotriethanol	102-71-6	

AB CLEARIGATE

REVISION DATE: 05/26/2015 Page 11 of 12

Polyethylene glycol 61827-42-7

monoisodecyl ether

2-Aminoethanol 141-43-5

California Prop 65

WARNING! This product contains a chemical known to the

State of California to cause cancer.

2,2'-Iminodiethanol 111-42-2

The components of this product are reported in the following inventories:

TSCA : This is an EPA registered pesticide.

Citrus, ext.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

SECTIONS REVISED: 1

Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.

Page 12 of 12

AB CLEARIGATE